



Certificate of Compliance

Certificate: 2471871

Master Contract: 189705 (112964_0_000)

Project: 70107201

Date Issued: 2017-10-13

Issued to: Socomec S.A.
rue de Westhouse 1
BP 10
Benfeld Cedex, 67235
FRANCE

The products listed below are eligible to bear the CSA Mark shown



Issued by: *Patrick Quinty*
Patrick Quinty

PRODUCTS

CLASS - C465102 - SWITCHES-Dead-front (Open Type)

Open type switches, manual, SIRCO DC 600A series, Cat. Nos. 27DC3060, 27DC4060, 27DC6060, 27DC8060.

Rating: General use 600A at 600Vdc; Short-circuit rating: 20kA at 600Vdc.

Note:

- 1) The switches 3 or 4 poles may be provided with:
 - non-electrical, mechanical handles (Frontal Direct C2 handles, or Frontal External type S4).
 - bridging bars for DC Cat. Nos. 27090061, 27092061 or 27093061.
 - terminal screens Cat. Nos. 27983060, 27984060.
 - Auxiliary contacts Cat. Nos. 27990021, 27990121, 27990022, 27990122
- 2) The switches 6 or 8 poles may be provided with:
 - non-electrical, mechanical handles (Frontal Direct C2 or V1 handles, or Frontal External type V1).
 - bridging bars for DC Cat. Nos. 27090061, 27092061 or 27093061.
 - terminal screens Cat. Nos. 16093063, 16094063.
- 3) For use in enclosure minimum size 40 by 24 by 12 inches for catalogue number 27DC3060, 27DC4060.
- 4) For use in enclosure minimum size 48 by 36 by 20 inches for catalogue number 27DC6060, 27DC8060.



Certificate: 2471871
Project: 70107201

Master Contract: 189705
Date Issued: 2017-10-13

APPLICABLE REQUIREMENTS

CSA C22.2 No. 4-16 - Enclosed Switches



Supplement to Certificate of Compliance

Certificate: 2471871

Master Contract: 189705 (112964_0_000)

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
70107201	2017-10-13	Update report as per Notice 17 and 21 (CSA C22.2 No.4-16).
2471871	2012-02-03	New certification – Open type switches, manual, SIRCO DC 600A series, Cat. Nos. 27DC3060, 27DC4060, 27DC6060, 27DC8060.